



Safety Harbor

2019 Inventory
of Government
Operations
Greenhouse
Gas Emissions

APRIL 27, 2022

Produced by the City of
Safety Harbor with Assistance
from ICLEI – Local Governments
for Sustainability USA

Credits and Acknowledgements

Jamie Ahrens, PE

Jackson Roberts, Intern

ICLEI-Local Governments for Sustainability USA
This template was updated by ICLEI in 2022

Table of Contents

Credits and Acknowledgements	2
ICLEI-Local Governments for Sustainability USA	2
Tables and Figures.....	4
List of Tables	4
List of Figures.....	4
Executive Summary.....	5
Key Findings.....	6
Introduction to Climate Change.....	7
Greenhouse Gas Inventory as a Step Toward Carbon Neutrality.....	9
ICLEI Climate Mitigation Milestones.....	10
Inventory Methodology	11
Understanding a Greenhouse Gas Emissions Inventory	11
Local Government Operations (LGO) Protocol.....	12
Quantifying Greenhouse Gas Emissions.....	12
<i>Sources and Activities.....</i>	12
<i>Base Year</i>	13
<i>Quantification Methods</i>	13
Government Operations Emissions Inventory Results	14
Next Steps:.....	15
Conclusion	16
Appendix: Methodology Details	17
Energy	17
Transportation	17
Solid Waste	18
Inventory Calculations	18

Tables and Figures

List of Tables

Table 1: Global Warming Potential Values (IPCC, 2014).....	11
Table 2: Local Government Operations Inventory.....	14
Table 3: Energy Data Sources.....	17
Table 4: Emissions Factors for Electricity Consumption	17
Table 5: Transportation Data Sources.....	17
Table 6: MPG and Emissions Factors by Vehicle Type	18
Table 7: Solid Waste Data Sources.....	18

List of Figures

Figure 1: Government Operations Emissions by Sector	6
Figure 2: ICLEI Climate Mitigation Milestones	10
Figure 3: Relationship of Community and Government Operations Inventories.....	11
Figure 4: Local Government Operations Emissions by Sector	15



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/). It may not be used for any commercial purpose. Any non-commercial use of this material must provide attribution to ICLEI Local Governments for Sustainability USA.

Executive Summary

The City of Safety Harbor recognizes that greenhouse gas (GHG) emissions from human activity are catalyzing profound climate change, the consequences of which pose substantial risks to the future health, wellbeing, and prosperity of our community.

The City of Safety Harbor is committed to a resolution of clean energy targets as a part of Sierra Club's Ready for 100 clean energy campaign. The resolution sets goals to transition to renewable, zero-emission, clean energy use as follows:

- Organizational target of powering City facilities and operations with 100% renewable, zero emission energy sources no later than 2035.
- Commitment to support the transition of our community to 100% renewable, zero emission energy sources.

The first step is developing a GHG inventory to see how much GHGs each sector emits and then from there developing reduction strategies based off the inventory. This report provides estimates of greenhouse gas emissions resulting from activities within the City's government operations. This report gives evidence of the source of the most harmful sectors in Safety Harbor that have a major impact on the climate.

Key Findings

Figure 1 shows local government operations emissions. The Buildings and Facilities sector accounts for a vast majority (61.5 %) of these emissions. The next largest contributor is vehicle fleet (19.2 %), followed by employee commute (10.6 %), and Solid Waste Facilities (8.7 %). Actions to reduce emissions from these sectors will be a key part of any future climate action plan developed by Safety Harbor.

The Inventory Results section of this report provides a detailed profile of emissions sources within Safety Harbor; information that is key to guiding local reduction efforts. These data will also provide a baseline against which the city will be able to compare future performance and demonstrate progress in reducing emissions.




Figure 1: Government Operations Emissions by Sector

Introduction to Climate Change

Naturally occurring gases dispersed in the atmosphere determine the Earth's climate by trapping solar radiation. This phenomenon is known as the greenhouse effect. Overwhelming evidence shows that human activities are increasing the concentration of greenhouse gases and changing the global climate. The most significant contributor is the burning of fossil fuels for transportation, electricity generation and other purposes, which introduces large amounts of carbon dioxide and other greenhouse gases into the atmosphere. Collectively, these gases intensify the natural greenhouse effect, causing global average surface and lower atmospheric temperatures to rise, threatening the safety, quality of life, and economic prosperity of global communities. Although the natural greenhouse effect is needed to keep the earth warm, a human enhanced greenhouse effect with the rapid accumulation of GHG in the atmosphere leads to too much heat and radiation being trapped. The Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report confirms that human activities have unequivocally caused an increase in carbon emissions¹. Many regions are already experiencing the consequences of global climate change, and Safety Harbor is no exception.


Human activities are estimated to have caused approximately 1.0°C of global warming above pre-industrial levels, with a likely range of 0.8°C to 1.2°C. Global warming is likely to reach 1.5°C between 2030 and 2052 if it continues to increase at the current rate. (high confidence) Warming from anthropogenic emissions from the pre-industrial period to the present will persist for centuries to millennia and will continue to cause further long-term changes in the climate system, such as sea level rise, with associated impacts (high confidence), but these emissions alone are unlikely to cause global warming of 1.5°C (medium confidence). Climate-related risks for natural and human systems are higher for global warming of 1.5°C than at present, but lower than at 2°C (high confidence). These risks depend on the magnitude and rate of warming, geographic location, levels of development and vulnerability, and on the choices and implementation of adaptation and mitigation options (high confidence)².

¹IPCC, 2021: Summary for Policymakers. In: Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [MassonDelmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J. B. R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.

²IPCC, 2018: Summary for Policymakers. In: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. World Meteorological Organization, Geneva, Switzerland, 32 pp.

According to the 2019 [National Climate Assessment](#), the southeast U.S. will experience potentially devastating impacts from seasonal changes and hazards occurring at unprecedented magnitudes. Florida, including Safety Harbor, is at particular risk for coastal hazards, such as flooding, erosion, and hurricanes that will continue to intensify with sea-level rise. So many people visit and move to this region to enjoy the beautiful coast, but its waterfront location also puts it at extreme risk. In addition, climate change will continue to produce warmer seasons and extreme temperatures that threaten many sectors within Safety Harbor and the greater region, most notably tourism, public health, and agriculture³.

Many communities in the United States have started to take responsibility for addressing climate change at the local level. Reducing fossil fuel use in the community can have many benefits in addition to reducing greenhouse gas emissions. More efficient use of energy decreases utility and transportation costs for residents and businesses. Retrofitting homes and businesses to be more efficient creates local jobs. In addition, when residents save on energy costs, they are more likely to be spend at local businesses and add to the local economy. Reducing fossil fuel use improves air quality, and increasing opportunities for walking and bicycling improves residents' health.



³ U.S. Global Change Research Program. 2019. National Climate Assessment – Ch 19: Southeast. Retrieved from <https://nca2019.globalchange.gov/chapter/19/>

Greenhouse Gas Inventory as a Step Toward Carbon Neutrality


Facing the climate crisis requires the concerted efforts of local governments and their partners, those that are close to the communities directly dealing with the impacts of climate change.

Cities, towns and counties are well placed to define coherent and inclusive plans that address integrated climate action — climate change adaptation, resilience and mitigation. Existing targets and plans need to be reviewed to bring in the necessary level of ambition and outline how to achieve net-zero emissions by 2050 at the latest. Creating a roadmap for climate neutrality requires Safety Harbor to identify priority sectors for action, while considering climate justice, inclusiveness, local job creation and other benefits of sustainable development.

To complete this inventory, Safety Harbor utilized tools and guidelines from ICLEI - Local Governments for Sustainability (ICLEI), which provides authoritative direction for greenhouse gas emissions accounting and defines climate neutrality as follows:

The targeted reduction of greenhouse gas (GHG) emissions and GHG avoidance in government operations and across the community in all sectors to an absolute net-zero emission level at the latest by 2050. In parallel to this, it is critical to adapt to climate change and enhance climate resilience across all sectors, in all systems and processes.

To achieve ambitious emissions reduction, and move toward climate neutrality, Safety Harbor will need to set a clear goal and act rapidly following a holistic and integrated approach. Climate action is an opportunity for our community to experience a wide range of co-benefits, such as creating socio-economic opportunities, reducing poverty and inequality, and improving the health of people and nature.



ICLEI Climate Mitigation Milestones

In response to the climate emergency, many communities in the United States are taking responsibility for addressing emissions at the local level. Since many of the major sources of greenhouse gas emissions are directly or indirectly controlled through local policies, local governments have a strong role to play in reducing greenhouse gas emissions within their boundaries, as well as influencing regional emissions through partnerships and advocacy. Through proactive measures around land use patterns, transportation demand management, energy efficiency, green building, waste diversion, and more, local governments can dramatically reduce emissions in their communities. In addition, local governments are primarily responsible for the provision of emergency services and the mitigation of natural disaster impacts.

ICLEI provides a framework and methodology for local governments to identify and reduce greenhouse gas emissions, organized along Five Milestones, also shown in Figure 2:

1. Conduct an LGO inventory and forecast of local government greenhouse gas emissions;
2. Establish a greenhouse gas emissions target;
3. Develop an LGO climate action plan for achieving the emissions reduction target;
4. Implement the climate action plan; and,
5. Monitor and report on progress.

This report represents the completion of ICLEI's Climate Mitigation Milestone One and provides a foundation for future work to reduce greenhouse gas emissions in Safety Harbor.



Figure 2: ICLEI Climate Mitigation Milestones

Inventory Methodology

Understanding a Greenhouse Gas Emissions Inventory

The first step toward achieving tangible greenhouse gas emission reductions requires identifying baseline emissions levels and sources and activities generating emissions in the community.

This report presents emissions from operations of the Safety Harbor government. The government operations inventory is mostly a subset of the community inventory, as shown in Figure 3. For example, data on commercial energy use by the community includes energy consumed by municipal buildings, and community vehicle-miles-traveled estimates include miles driven by municipal fleet vehicles.

As local governments continue to join the climate protection movement, the need for a standardized approach to quantify GHG emissions has proven essential. This inventory uses the approach and methods provided by the U.S. Community Protocol for Accounting and Reporting Greenhouse Gas Emissions (Community Protocol) and the Local Government Operations Protocol for Accounting and Reporting Greenhouse Gas Emissions (LGO Protocol), both of which are described below.

Three greenhouse gases are included in this inventory: carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O). Many of the charts in this report represent emissions in “carbon dioxide equivalent” (CO₂e) values, calculated using the Global Warming Potentials (GWP) for methane and nitrous oxide from the IPCC 5th Assessment Report.



Figure 3: Relationship of Community and Government Operations Inventories

Table 1: Global Warming Potential Values (IPCC, 2014)

Greenhouse Gas	Global Warming Potential
Carbon Dioxide (CO ₂)	1
Methane (CH ₄)	28
Nitrous Oxide (N ₂ O)	265

Local Government Operations (LGO) Protocol

In 2010, ICLEI, the California Air Resources Board (CARB), and the California Climate Action Registry (CCAR) released Version 1.1 of the LGO Protocol.⁴ The LGO Protocol serves as the national standard for quantifying and reporting greenhouse emissions from local government operations. The purpose of the LGO Protocol is to provide the principles, approach, methodology, and procedures needed to develop a local government operations greenhouse gas emissions inventory.

The following activities are included in the LGO inventory:

- Energy consumption from buildings & facilities
- Municipal Waste treatment processes
- On-road and off-road transportation from vehicle fleet
- Transportation from employee commute

Quantifying Greenhouse Gas Emissions

Sources and Activities

Communities contribute to greenhouse gas emissions in many ways. Two central categorizations of emissions are used in the community inventory: 1) GHG emissions that are produced by “sources” located within the community boundary, and 2) GHG emissions produced as a consequence of community “activities”.

Source	Activity
Any physical process inside the jurisdictional boundary that releases GHG emissions into the atmosphere	The use of energy, materials, and/or services by members of the community that result in the creation of GHG emissions.

By reporting on both GHG emissions sources and activities, local governments can develop and promote a deeper understanding of GHG emissions associated with their communities. A purely source-based emissions inventory could be summed to estimate total emissions released within the community’s jurisdictional boundary. In contrast, a purely activity-based emissions inventory could provide perspective on the efficiency of the community, even when the associated emissions occur outside the jurisdictional

⁴ ICLEI. 2008. Local Government Operations Protocol for Accounting and Reporting Greenhouse Gas Emissions. Retrieved from <http://www.icleiusa.org/programs/climate/ghg-protocol/ghg-protocol>

boundary. The division of emissions into sources and activities replaces the scopes framework that is used in government operations inventories, but that does not have a clear definition for application to community inventories.

Base Year

The inventory process requires the selection of a base year with which to compare current emissions. Safety Harbor's LGO greenhouse gas emissions inventory utilizes 2019 as its baseline year, for which the necessary data are available.

Quantification Methods

Greenhouse gas emissions can be quantified in two ways:

- Measurement-based methodologies refer to the direct measurement of greenhouse gas emissions (from a monitoring system) emitted from a flue of a power plant, wastewater treatment plant, landfill, or industrial facility.
- Calculation-based methodologies calculate emissions using activity data and emission factors. To calculate emissions accordingly, the basic equation below is used:

$$\text{Activity Data} \times \text{Emission Factor} = \text{Emissions}$$

Most emissions sources in this inventory are quantified using calculation-based methodologies. Activity data refer to the relevant measurement of energy use or other greenhouse gas-generating processes such as fuel consumption by fuel type, metered annual electricity consumption, and annual vehicle miles traveled. Please see appendices for a detailed listing of the activity data used in composing this inventory.



Known emission factors are used to convert energy usage or other activity data into associated quantities of emissions. Emissions factors are usually expressed in terms of emissions per unit of activity data (e.g. lbs CO₂/kWh of electricity). For this inventory, calculations were made using ICLEI's ClearPath tool.

Government Operations Emissions Inventory Results

Government operations emissions for 2019 are shown in Table 3 and Figure 6.

Table 2: Local Government Operations Inventory

Sector	Fuel or source	2019 Usage	Usage unit	2019 Emissions (MTCO ₂ e)
Buildings & Facilities	Electricity	5642254	kWh	2584.2
	Natural Gas			
Buildings & Facilities total				2584.2
Street Lights & Traffic Signals				
Street Lights & Traffic Signals total				
Vehicle Fleet	Gasoline (off-road)	2691	Gallons	23.82
	Diesel (off-road)	3380	Gallons	34.79
	Gasoline (on-road)	17557.8	Gallons	155.35
	Diesel (on-road)	57747.4	Gallons	589.82
Vehicle Fleet total				803.78
Transit Fleet	Diesel			
	Gasoline			
Transit Fleet total				
Employee Commute	Gasoline	50515	Gallons	446.82
	Biodiesel/Ethanol			
	Electric			
	Hybrid Gasoline			
	PHEVs			
Employee Commute Total				446.82
Electric Power Production	Various Fuels for Power Generation			
Electric Power Production Total				
Solid Waste	Waste Generation	552.24	Tons	360.71
	Compost	76.08	Tons	5.3
Solid waste total				366.01

Water and wastewater	Digester Gas Flared			
	Digester Gas Combusted (used for boiler operations)			
	Nitrogen Discharge			
Water and wastewater total				
Process & Fugitive Emissions	Fugitive Emissions from Natural Gas Distribution			
Process & Fugitive Emissions total				
Total government emissions				4200.81

Figure 4 shows the distribution of emissions among the four sectors included in the inventory. Buildings and Facilities represents the majority of emissions, followed by Vehicle Fleet, Employee Commute and Solid Waste Facilities.




Figure 4: Local Government Operations Emissions by Sector

Next Steps:

The local government operations emissions inventory points to a need for a cleaner energy source or less of need for electricity. More efficient buildings are needed as well as more renewable transportation methods are needed. This could include support of electric vehicle fleets. However, based on the DRVE tool calculations, Conversion to fully electric fleet could result in almost a complete reduction in GHG emissions from the cars themselves but more electricity will be needed which will produce some GHG

emissions in the electricity generation process but overall, less than the conventional fleet. Also, the cost to upgrade to a fully electric fleet would be almost two times more expensive than the current fleet. If there is funding available, this could be a great option for at least a portion of the vehicles in the fleet to switch to electric to help reduce GHG emissions. Results can be found [here](#).

Conclusion

This inventory marks the completion of Milestone One of the Five ICLEI Climate Mitigation Milestones. The next steps are to forecast emissions, set an emissions-reduction target, and build upon the existing Ready for 100 Clean Energy Commitment with a more robust climate action plan that identifies specific quantified strategies that can cumulatively meet that target.

The Intergovernmental Panel on Climate Change (IPCC) states that to meet the Paris Agreement commitment of keeping warming below 1.5°C we must reduce global emissions by 50% by 2030 and reach climate neutrality by 2050. Equitably reducing global emissions by 50% requires that high-emitting, wealthy nations reduce their emissions by more than 50%. More than ever, it is imperative that countries, regions, and local governments set targets that are ambitious enough to slash carbon emissions between now and mid-century.

Science-Based Targets are calculated climate goals, in line with the latest climate science, that represent a community's fair share of the global ambition necessary to meet the Paris Agreement commitment. To achieve a science-based target, community education, involvement, and partnerships will be instrumental.

In addition, Safety Harbor will continue to track key energy use and emissions indicators on an on-going basis. It is recommended that communities update their inventories on a regular basis, especially as plans are implemented to ensure measurement and verification of impacts. Regular inventories also allow for "rolling averages" to provide insight into sustained changes and can help reduce the chance of an anomalous year being incorrectly interpreted. This inventory shows that Buildings and facilities as well as communitywide transportation patterns will be particularly important to focus on. Through these efforts and others, the City of Safety Harbor can achieve environmental, economic, and social benefits beyond reducing emissions.

Appendix: Methodology Details

Energy

The following tables shows each activity, related data sources, and notes on data gaps.

Table 3: Energy Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Electricity consumption	Duke Energy	
Natural gas consumption		

Table 4: Emissions Factors for Electricity Consumption

Year	CO ₂ (lbs./MWh)	CH ₄ (lbs./GWh)	N ₂ O (lbs./GWh)
2019	1007	41	6

Transportation

Table 5: Transportation Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Government vehicle fleet	City of Safety Harbor records	
Employee commute	Employee Commute Survey	Exact mileage driven each day was estimated using the known zip codes of each employee's residency as well as their workplace.

For vehicle transportation, it is necessary to apply average miles per gallon and emissions factors for CH4 and N2O to each vehicle type. The factors used are shown in Table 6.

Table 6: MPG and Emissions Factors by Vehicle Type

Fuel	Vehicle type	MPG	CH ₄ g/mile	N ₂ O g/mile
Gasoline	Passenger car	24.1	0.0183	0.0083
Gasoline	Light truck	17.6	0.0193	0.0148
Gasoline	Heavy truck	5.371652	0.0785	0.0633
Gasoline	Motorcycle	24.1	0.0183	0.0148
Diesel	Passenger car	24.1	0.0005	0.001
Diesel	Light truck	17.6	0.001	0.0015
Diesel	Heavy truck	6.392468	0.0051	0.0048

Solid Waste

Table 7: Solid Waste Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Solid Waste Generation	Pinellas County Landfill	Based off community wide (11044.73 tons) of solid waste Assumed 5% of this solid waste to be generated by government owned operations
Composting	Pinellas County Landfill	Based off community wide (1521.58 tons) of yard waste to compost Assumed 5% of this yard waste to be generated by government owned operations

Inventory Calculations

The 2019 inventory was calculated following the US Community Protocol and ICLEI's ClearPath software. As discussed in Inventory Methodology, the IPCC 5th Assessment was used for global warming potential (GWP) values to convert methane and nitrous oxide to CO₂ equivalent units. ClearPath's inventory calculators allow for input of the sector activity (i.e. kWh or VMT) and emission factor to calculate the final CO₂e emissions.



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](#). It may not be used for any commercial purpose. Any non-commercial use of this material must provide attribution to ICLEI Local Governments for Sustainability USA.